

# PT. MAHKOTA INDONESIA



Office & Factory : Jalan Raya Bekasi Km. 21 Pulogadung - Jakarta Utara 14250, Indonesia  
Telephone : 6221 - 4603121 (Hunting) Faximile : 6221 - 4602792  
Website: www.mahkotaindonesia.co.id

Manufacturing of Sulphuric Acid, Aluminium Sulphate, Oleum, Sodium Silicate, Sulphur Block, etc.



CERTIFICATE NO. 402987

M S D S No. 003 – MI – 2008 (SDS Alumunium Sulphate)

Page 1 of 7

DATE PREPARED : April 6<sup>th</sup>, 2008

## SAFETY DATA SHEET

### 1. PRODUCT & COMPANY IDENTIFICATION

- **PRODUCT NAME** : **Alumunium Sulphate Liquid**
- **COMPANY NAME** : PT. MAHKOTA INDONESIA
- **ADDRESS** : Jl. Raya Bekasi Km.21. Pulogadung.  
Jakarta Utara. 14250
- **TEL NO.** : 62-21-4603121 (Hunting)
- **FAX NO.** : 62-21-4602792
- **EMERGENCY TEL NO.** : 62-21-4603121 (Hunting)

### 2. HAZARD IDENTIFICATION

#### GHS CLASSIFICATION

- Self Reactive Substances : Not Classified ( No information found )
- Acute Toxicity
  - Oral : Not Possible to Classified
  - Dermal : Not Classified ( No information found )
  - Inhalation : Not Classified ( No information found )
- Skin Corrosion/Irritation : Category 2 ( Exclamation Mark, Warning )
- Serious Eye Damage /Irritation : Category 2A ( Exclamation Mark, Warning )
- Respiratory Sensitization : Category 1 ( Health Hazard, Danger )
- Specific Target Organs : Category 2 ( Health Hazard, Warning )  
(Repeated Exposure)

#### GHS LABEL ELEMENT



# PT. MAHKOTA INDONESIA



Office & Factory : Jalan Raya Bekasi Km. 21 Pulogadung - Jakarta Utara 14250, Indonesia  
Telephone : 6221 - 4603121 (Hunting) Faximile : 6221 - 4602792  
Website: www.mahkotaindonesia.co.id

Manufacturing of Sulphuric Acid, Aluminium Sulphate, Oleum, Sodium Silicate, Sulphur Block, etc.



CERTIFICATE NO. 402987

M S D S No. 003 – MI – 2008 (SDS Alumunium Sulphate)

Page 2 of 7

## **HAZARD STATEMENTS**

Human Effect :

- Harmful if swallowed or inhaled
- Causes skin irritation and eye irritaton
- A strong alkaline irritant causes severe irritation to eyes, skin and respiratory tract
- May cause respiratory irritation
- Cause damage to organs (nervous system, respiratory system) through prolonged or repeated exposure

## **PRECAUTIONARY STATEMENTS**

- Avoid contact with skin and eyes
- Do not inhale vapour or spray
- Do not ingest
- Wear respiratory protection, protective glove/clothing/face protection as specified by manufacturer/supplier or the competent authority
- Wear eye protection ( chemchal goggles )
- Keep container tightly closed
- Due the lower vapour pressure of this product ( can hydrolyses to form sulfuric acid )
- Protective clothing or contaminated work clothing should not be allowed out of the workplace
- Wash hand thoroughly after handling
- Do not eat, drink or smoke when using this product
- Avoid release to the environment
- Do not handle until all safety precaution have been read and understood.

## **3. COMPOSITION / INFORMATION ON INGREDIENTS**

- CHEMICAL NAME : Alumunium Sulphate
- SYNONYMS : Alum; Sulphate of alumina, Sulfate of alumina,
- CHEMICAL FORMULA :  $Al_2(SO_4)_3$

<b>Ingredient</b>	<b>CAS No.</b>	<b>Percent WT</b>
Alumunium Sulphate	10043-01-3	Min 8 %

# PT. MAHKOTA INDONESIA



Office & Factory : Jalan Raya Bekasi Km. 21 Pulogadung - Jakarta Utara 14250, Indonesia  
Telephone : 6221 - 4603121 (Hunting) Faximile : 6221 - 4602792  
Website: www.mahkotaindonesia.co.id

*Manufacturing of Sulphuric Acid, Aluminium Sulphate, Oleum, Sodium Silicate, Sulphur Block, etc.*



CERTIFICATE NO. 402987

M S D S No. 003 – MI – 2008 (SDS Alumunium Sulphate)

Page 3 of 7

## 4. FIRST-AID MEASURE

- **Inhalation** :  
Remove victim from area of exposure – avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. For all but the most minor symptoms arrange for patient to be seen by doctor as soon as possible.
- **Ingestion** :  
Rinse mouth with water. If swallowed give a glass of water to drink. If vomiting occurs give further water. Seek medical advice.
- **Skin Contact** :  
If skin or hair contact, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.
- **Eye Contact** :  
If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the poisons information centre or a doctor, or for at least 15 minutes.

## 5. FIRE-FIGHTING MEASURES

- **Specific Hazard** :  
Non Combusting material.
- **Fire Fighting Advice** :  
Decomposes on heating emitting toxic fumes, including those of oxides of sulfur. Fire fighters to wear self – contained breathing apparatus and suitable protective clothing if risk of exposure to products decomposition.
- **Suitable Extinguishing Media** :  
Not combustible, however, if material is involved in a fire use: Dry agent ( carbon dioxide, dry chemical powder ).

## 6. ACCIDENTAL RELEASE MEASURES

- **Personal Precautions** :  
Wear protective equipment to prevent skin and eye contact and breathing dust. Work up wind or increase ventilation. Cover with damp absorbent ( inert, material, sand or soil ). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labeled containers or drum for disposal.
- **Methods for cleaning up** :  
Wash area down with excess water.

# PT. MAHKOTA INDONESIA



Office & Factory : Jalan Raya Bekasi Km. 21 Pulogadung - Jakarta Utara 14250, Indonesia  
Telephone : 6221 - 4603121 (Hunting) Faximile : 6221 - 4602792  
Website: www.mahkotaindonesia.co.id

Manufacturing of Sulphuric Acid, Aluminium Sulphate, Oleum, Sodium Silicate, Sulphur Block, etc.



CERTIFICATE NO. 402987

M S D S No. 003 – MI – 2008 (SDS Alumunium Sulphate)

Page 4 of 7

## 7. HANDLING AND STORAGE

- **Handling** :  
Avoid skin and eye contact and breathing in dust.
- **Storage Color Code** :  
Green ( General Storage )
- **Storage Advice** :  
Store in cool place and out of direct sunlight. Store away from ncompatible materials described. Keep containers closed when not in use- check regularly for spills.

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

- **ENGINEERING MEASURES** :  
Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Exposure standards. Avoid and breathing in dusts. Use with local exhaust ventilation or while wearing dust mask. Keep containers closed when not in use.
- **CONTROL PARAMETERS** :

CHEMICAL NAME	CAS RN	ACGIH (1995-1996)	OSHA (1995)	% 100.0 (by wt)
Alumunium Sulphate	10043-01-3	TWA	2 mg/m <sup>3</sup> / (%Al)	Min 8 %

- **PERSONAL PROTECTIVE EQUIPMENT** :
  - RESPIRATORY PROTECTION** :  
Avoid generating and inhaling dusts. If dust exists, wear dust mask/respirator.
  - HAND PROTECTION** :  
Chemical resistant gloves
  - EYE PROTECTION** :  
Wear safety glasses with side shields or chemichal goggles and a full face shield.
  - SKIN, AND BODY PROTECTION** :  
Suitable safety clothes and shoes

# PT. MAHKOTA INDONESIA



Office & Factory : Jalan Raya Bekasi Km. 21 Pulogadung - Jakarta Utara 14250, Indonesia  
Telephone : 6221 - 4603121 (Hunting) Faximile : 6221 - 4602792  
Website: www.mahkotaindonesia.co.id

*Manufacturing of Sulphuric Acid, Aluminium Sulphate, Oleum, Sodium Silicate, Sulphur Block, etc.*



**CERTIFICATE NO. 402987**

M S D S No. 003 – MI – 2008 (SDS Alumunium Sulphate)

Page 5 of 7

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form : Liquid
- Color : Colorless
- Odor : None
- pH : 11.3 – 11.7
- Solubility in water : 100 % in water 30 °C
- Spesific Gravity :  $\pm 1.3$   
(  $H_2O = 1$ , at 30 °C/ 86 °F )
- Boiling Point : 109 °F / 228 °F
- Melting Point : No Information Found
- Vapour Density ( Air = 1 ) : Not Applicable
- Vapour Pressure (mmHg) : Not Applicable
- Evaporation Rate (BuAc = 1 ) : No information found

## 10. STABILITY & REACTIVITY

- **Stability** :  
Stable at room temperature in closed containers under normal storage and handling conditions.
- **Hazardous Decomposition Products** :  
Oxides of sulfur
- **Hazardous Polymerization** :  
Will not occur
- **Incompatibilities** :  
Incompatible with alkalis and oxidizing agent
- **Conditions to Avoid** :  
Incompatibles.

# PT. MAHKOTA INDONESIA



Office & Factory : Jalan Raya Bekasi Km. 21 Pulogadung - Jakarta Utara 14250, Indonesia  
Telephone : 6221 - 4603121 (Hunting) Faximile : 6221 - 4602792  
Website: www.mahkotaindonesia.co.id

*Manufacturing of Sulphuric Acid, Aluminium Sulphate, Oleum, Sodium Silicate, Sulphur Block, etc.*



**CERTIFICATE NO. 402987**

M S D S No. 003 – MI – 2008 (SDS Alumunium Sulphate)

Page 6 of 7

## 11. TOXICOLOGICAL INFORMATION

- **Acute Toxicity :**

Oral            mouse    LD<sub>50</sub>    6207 mg/kg

- **Cancer List :**

INGREDIENT	CAS NO.	NTP CARCINOGEN KNOWN	NTP CARCINOGEN ANTICIPATED	IARC
Alumunium Sulphate	10043-01-3	No	No	None
Water	7732-18-5	No	No	None

## 12. ECOLOGICAL INFORMATION

- **Environmental Fate :**

Avoid containing waterways

## 13. DISPOSAL CONSIDERATION

- Dispose of container and unused content in accordance with federal, state and local requirements.
- Cannot be saved for recovery or recycling should be managed in appropriate and approved waste disposal facility.
- Processing, use or contamination of this product may change the waste management options.

# PT. MAHKOTA INDONESIA



Office & Factory : Jalan Raya Bekasi Km. 21 Pulogadung - Jakarta Utara 14250, Indonesia  
Telephone : 6221 - 4603121 (Hunting) Faximile : 6221 - 4602792  
Website: www.mahkotaindonesia.co.id

*Manufacturing of Sulphuric Acid, Aluminium Sulphate, Oleum, Sodium Silicate, Sulphur Block, etc.*



**CERTIFICATE NO. 402987**

M S D S No. 003 – MI – 2008 (SDS Alumunium Sulphate)

Page 7 of 7

## 14. TRANSPORT INFORMATION

- The UN classification number  
[UNRTDG]  
Proper shipping name : Alumunium Sulphate  
UN class : Not Regulated  
UN number : Not Regulated
- Road and Rail Transport  
Not classified as dangerous Goods by te criteria Australia Dangerous Goods Code ( ADG Code ) for transport by road and rail.
  - Marine Transport  
Not classified as dangerous Goods by the criteria of International Maritime Dangerous Goods Code ( IMDG Code ) transport by sea.
  - Air Transport  
Not classified as Dangerous Goods by the criteria of the International Air Transport Association ( IATA ) Dangerous. Good Regulations for transport by air.

## 15. REGULATORY INFORMATION

- EU STATUS :  
EINECS : Listed (no. 205-438-8)  
Classification & Labeling (67/548/EEC) :  
[CLASSIFICATION] :  
Xn : R20/21/22  
Xi : R35/36/37/38  
  
[LABELING]  
[F, Xn]  
R20/21/22 - Harmful by inhalation, in contact with skin and if inhaled  
R35 - Causes severe burns  
R36/37/38 - Irritating to eyes, respiratory systems and skin.  
S2 - Keep out of the reach of children.  
S7 - Keep container in tightly closed  
S24/25 - Avoid contact with skin and eyes  
S36/37/39 - Wear suitable protective clothing, gloves and eye protecting.

# PT. MAHKOTA INDONESIA



Office & Factory : Jalan Raya Bekasi Km. 21 Pulogadung - Jakarta Utara 14250, Indonesia  
Telephone : 6221 - 4603121 (Hunting) Faximile : 6221 - 4602792  
Website: www.mahkotaindonesia.co.id

*Manufacturing of Sulphuric Acid, Aluminium Sulphate, Oleum, Sodium Silicate, Sulphur Block, etc.*



**CERTIFICATE NO. 402987**

M S D S No. 003 – MI – 2008 (SDS Alumunium Sulphate)

Page 8 of 7

## 16. OTHER INFORMATION

- REFERENCES :
  - 1) Data generated by PT. Mahkota Indonesia
  - 2) Guidebook for GHS Classification and Labelling, March, 2008
  - 3) Purple Book Rev 2, 2007
  - 4) UNRTDG Orange Books 14<sup>th</sup> edition
  - 5) Dangerous Properties of Material 6<sup>th</sup> edition, N. Irving Sach, March 1987
  - 6) Hazardous Material in Industry 12<sup>th</sup> edition
  
- To the best of our knowledge, the information contained here in is accurate. However, neither PT. MAHKOTA INDONESIA nor any of its subsidiaries assumes any liability what so ever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.